

# アルミ導線（鬼撚線）




| 品番   | 構成<br>mm×本 | 公称断面積<br>mm <sup>2</sup> | 撚構成<br>mm×本×組+芯線(本) | 外径<br>mm |
|------|------------|--------------------------|---------------------|----------|
| 7401 | 2.0×19     | 60                       | 2.0×4×2+2.0×5×2+1   | 12.4     |
| 7402 | 2.0×25     | 78                       | 2.0×3×3+2.0×4×4     | 14.2     |

## アルミ導線取付金物

コンクリート用

アルミ合金製




| 品番   | 使用導線                | D     | ドリル径 |
|------|---------------------|-------|------|
| 7411 | 60mm <sup>2</sup> 芯 | 13φ   | 8.5φ |
| 7416 | 78 //               | 14.5φ | //   |

## アルミ導線取付金物

コンクリート用

アルミ合金製




| 品番      | 使用導線                | D     | ドリル径 |
|---------|---------------------|-------|------|
| 7411-01 | 60mm <sup>2</sup> 芯 | 13φ   | 11φ  |
| 7416-01 | 78 //               | 14.5φ | //   |





## アルミ導線取付金物







A L C 板用





アルミ合金製












| 品番   | 使用導線                | D     | ドリル径  |
|------|---------------------|-------|-------|
| 7427 | 60mm <sup>2</sup> 芯 | 13φ   | 12.5φ |
| 7428 | 78 //               | 14.5φ | //    |





| アルミ導線取付金物                                                                           |                     | A L C 板用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | アルミ合金製                           |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
|-------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----|-----|-------|---|------|---------------------|---------------------|------|-------|---------------------|-------|-------|----|----|-------|------|----|----|---|----|----|-------|------|---------------------|-------|---|----|----|-------|------|----|----|---|----|----|-------|
|    |                     |  <table border="1"><thead><tr><th>品 番</th><th>使用導線</th><th>D</th><th>ドリル径</th></tr></thead><tbody><tr><td>7429</td><td>60mm<sup>2</sup>迄</td><td>13φ</td><td>8φ</td></tr><tr><td>7430</td><td>78 //</td><td>14.5φ</td><td>//</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                      |                                  |    | 品 番 | 使用導線  | D | ドリル径 | 7429                | 60mm <sup>2</sup> 迄 | 13φ  | 8φ    | 7430                | 78 // | 14.5φ | // |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 品 番                                                                                 | 使用導線                | D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ドリル径                             |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7429                                                                                | 60mm <sup>2</sup> 迄 | 13φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 8φ                               |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7430                                                                                | 78 //               | 14.5φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | //                               |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| アルミ導線取付金物                                                                           |                     | アルミ 笠木用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | アルミ合金製 ポップナット付                   |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
|   |                     |  <table border="1"><thead><tr><th>品 番</th><th>使用導線</th><th>D</th></tr></thead><tbody><tr><td>7434</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr><tr><td>7435</td><td>78 //</td><td>14.5φ</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                         |                                  |    | 品 番 | 使用導線  | D | 7434 | 60mm <sup>2</sup> 迄 | 13φ                 | 7435 | 78 // | 14.5φ               |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 品 番                                                                                 | 使用導線                | D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                  |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7434                                                                                | 60mm <sup>2</sup> 迄 | 13φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                  |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7435                                                                                | 78 //               | 14.5φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                  |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| アルミ導線取付金物                                                                           |                     | 鉄骨用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 金物 アルミ合金製<br>支持材 鉄溶融亜鉛めっき        |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
|  |                     |  <table border="1"><thead><tr><th>品 番</th><th>使用導線</th><th>D</th><th>支持材</th><th>C</th><th>L</th><th>d</th></tr></thead><tbody><tr><td>7448</td><td>60mm<sup>2</sup>迄</td><td>13φ</td><td>小</td><td>15</td><td>35</td><td>M6×30</td></tr><tr><td>7449</td><td>//</td><td>//</td><td>中</td><td>30</td><td>50</td><td>M8×40</td></tr><tr><td>7450</td><td>78mm<sup>2</sup>迄</td><td>14.5φ</td><td>小</td><td>15</td><td>35</td><td>M6×30</td></tr><tr><td>7451</td><td>//</td><td>//</td><td>中</td><td>30</td><td>50</td><td>M8×40</td></tr></tbody></table> |                                  |    | 品 番 | 使用導線  | D | 支持材  | C                   | L                   | d    | 7448  | 60mm <sup>2</sup> 迄 | 13φ   | 小     | 15 | 35 | M6×30 | 7449 | // | // | 中 | 30 | 50 | M8×40 | 7450 | 78mm <sup>2</sup> 迄 | 14.5φ | 小 | 15 | 35 | M6×30 | 7451 | // | // | 中 | 30 | 50 | M8×40 |
| 品 番                                                                                 | 使用導線                | D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 支持材                              | C  | L   | d     |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7448                                                                                | 60mm <sup>2</sup> 迄 | 13φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 小                                | 15 | 35  | M6×30 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7449                                                                                | //                  | //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 中                                | 30 | 50  | M8×40 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7450                                                                                | 78mm <sup>2</sup> 迄 | 14.5φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 小                                | 15 | 35  | M6×30 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7451                                                                                | //                  | //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 中                                | 30 | 50  | M8×40 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| アルミ導線取付金物                                                                           |                     | 鉄骨用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 金物 アルミ合金製<br>支持材 ステンレス製 (SUS304) |    |     |       |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
|  |                     |  <table border="1"><thead><tr><th>品 番</th><th>使用導線</th><th>D</th><th>支持材</th><th>C</th><th>L</th><th>d</th></tr></thead><tbody><tr><td>7452</td><td>60mm<sup>2</sup>迄</td><td>13φ</td><td>小</td><td>15</td><td>35</td><td>M6×30</td></tr><tr><td>7453</td><td>//</td><td>//</td><td>中</td><td>30</td><td>50</td><td>M8×40</td></tr><tr><td>7454</td><td>78mm<sup>2</sup>迄</td><td>14.5φ</td><td>小</td><td>15</td><td>35</td><td>M6×30</td></tr><tr><td>7455</td><td>//</td><td>//</td><td>中</td><td>30</td><td>50</td><td>M8×40</td></tr></tbody></table> |                                  |    | 品 番 | 使用導線  | D | 支持材  | C                   | L                   | d    | 7452  | 60mm <sup>2</sup> 迄 | 13φ   | 小     | 15 | 35 | M6×30 | 7453 | // | // | 中 | 30 | 50 | M8×40 | 7454 | 78mm <sup>2</sup> 迄 | 14.5φ | 小 | 15 | 35 | M6×30 | 7455 | // | // | 中 | 30 | 50 | M8×40 |
| 品 番                                                                                 | 使用導線                | D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 支持材                              | C  | L   | d     |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7452                                                                                | 60mm <sup>2</sup> 迄 | 13φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 小                                | 15 | 35  | M6×30 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7453                                                                                | //                  | //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 中                                | 30 | 50  | M8×40 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7454                                                                                | 78mm <sup>2</sup> 迄 | 14.5φ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 小                                | 15 | 35  | M6×30 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |
| 7455                                                                                | //                  | //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 中                                | 30 | 50  | M8×40 |   |      |                     |                     |      |       |                     |       |       |    |    |       |      |    |    |   |    |    |       |      |                     |       |   |    |    |       |      |    |    |   |    |    |       |

| アルミ導線取付金物                                                                           | 床用                                                                                                                                                                                                                                                                                                                                                 | 金物<br>台 アルミ合金製<br>ABS樹脂製  |      |   |      |                      |     |      |       |       |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------|---|------|----------------------|-----|------|-------|-------|--|
|    |  <table border="1" data-bbox="989 515 1260 582"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7456</td><td>60mm<sup>2</sup> 2芯</td><td>13φ</td></tr> <tr> <td>7457</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table>     | 品番                        | 使用導線 | D | 7456 | 60mm <sup>2</sup> 2芯 | 13φ | 7457 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                               | D                         |      |   |      |                      |     |      |       |       |  |
| 7456                                                                                | 60mm <sup>2</sup> 2芯                                                                                                                                                                                                                                                                                                                               | 13φ                       |      |   |      |                      |     |      |       |       |  |
| 7457                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                              | 14.5φ                     |      |   |      |                      |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 床用                                                                                                                                                                                                                                                                                                                                                 | 金物<br>台 アルミ合金製<br>コンクリート製 |      |   |      |                      |     |      |       |       |  |
|   |  <table border="1" data-bbox="981 1030 1252 1097"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7458</td><td>60mm<sup>2</sup> 2芯</td><td>13φ</td></tr> <tr> <td>7459</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table>   | 品番                        | 使用導線 | D | 7458 | 60mm <sup>2</sup> 2芯 | 13φ | 7459 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                               | D                         |      |   |      |                      |     |      |       |       |  |
| 7458                                                                                | 60mm <sup>2</sup> 2芯                                                                                                                                                                                                                                                                                                                               | 13φ                       |      |   |      |                      |     |      |       |       |  |
| 7459                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                              | 14.5φ                     |      |   |      |                      |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 床用                                                                                                                                                                                                                                                                                                                                                 | 金物<br>台 アルミ合金製<br>コンクリート製 |      |   |      |                      |     |      |       |       |  |
|  |  <table border="1" data-bbox="981 1556 1252 1624"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7460</td><td>60mm<sup>2</sup> 2芯</td><td>13φ</td></tr> <tr> <td>7461</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table> | 品番                        | 使用導線 | D | 7460 | 60mm <sup>2</sup> 2芯 | 13φ | 7461 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                               | D                         |      |   |      |                      |     |      |       |       |  |
| 7460                                                                                | 60mm <sup>2</sup> 2芯                                                                                                                                                                                                                                                                                                                               | 13φ                       |      |   |      |                      |     |      |       |       |  |
| 7461                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                              | 14.5φ                     |      |   |      |                      |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 床用                                                                                                                                                                                                                                                                                                                                                 | 金物<br>台 アルミ合金製<br>コンクリート製 |      |   |      |                      |     |      |       |       |  |
|  |  <table border="1" data-bbox="981 2072 1252 2139"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7462</td><td>60mm<sup>2</sup> 2芯</td><td>13φ</td></tr> <tr> <td>7463</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table> | 品番                        | 使用導線 | D | 7462 | 60mm <sup>2</sup> 2芯 | 13φ | 7463 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                               | D                         |      |   |      |                      |     |      |       |       |  |
| 7462                                                                                | 60mm <sup>2</sup> 2芯                                                                                                                                                                                                                                                                                                                               | 13φ                       |      |   |      |                      |     |      |       |       |  |
| 7463                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                              | 14.5φ                     |      |   |      |                      |     |      |       |       |  |

| アルミ導線取付金物                                                                           | 接着用                                                                                                                                                                                                                                                                                                                                              | 金物 アルミ合金製<br>台 ステンレス製 |      |   |      |                     |     |      |       |       |  |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------|---|------|---------------------|-----|------|-------|-------|--|
|    |  <table border="1" data-bbox="983 515 1259 584"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7464</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7465</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table>     | 品番                    | 使用導線 | D | 7464 | 60mm <sup>2</sup> 迄 | 13φ | 7465 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                             | D                     |      |   |      |                     |     |      |       |       |  |
| 7464                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                              | 13φ                   |      |   |      |                     |     |      |       |       |  |
| 7465                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                            | 14.5φ                 |      |   |      |                     |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 接着用                                                                                                                                                                                                                                                                                                                                              | 金物 アルミ合金製<br>台 アルミ製   |      |   |      |                     |     |      |       |       |  |
|   |  <table border="1" data-bbox="983 1034 1259 1104"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7466</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7467</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table>  | 品番                    | 使用導線 | D | 7466 | 60mm <sup>2</sup> 迄 | 13φ | 7467 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                             | D                     |      |   |      |                     |     |      |       |       |  |
| 7466                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                              | 13φ                   |      |   |      |                     |     |      |       |       |  |
| 7467                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                            | 14.5φ                 |      |   |      |                     |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 接着用                                                                                                                                                                                                                                                                                                                                              | 金物 アルミ合金製<br>台 ステンレス製 |      |   |      |                     |     |      |       |       |  |
|  |  <table border="1" data-bbox="983 1561 1259 1630"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7468</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7469</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table> | 品番                    | 使用導線 | D | 7468 | 60mm <sup>2</sup> 迄 | 13φ | 7469 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                             | D                     |      |   |      |                     |     |      |       |       |  |
| 7468                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                              | 13φ                   |      |   |      |                     |     |      |       |       |  |
| 7469                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                            | 14.5φ                 |      |   |      |                     |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 接着用                                                                                                                                                                                                                                                                                                                                              | 金物 アルミ合金製<br>台 アルミ製   |      |   |      |                     |     |      |       |       |  |
|  |  <table border="1" data-bbox="983 2078 1259 2148"> <thead> <tr> <th>品番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7470</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7471</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table> | 品番                    | 使用導線 | D | 7470 | 60mm <sup>2</sup> 迄 | 13φ | 7471 | 78 // | 14.5φ |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                             | D                     |      |   |      |                     |     |      |       |       |  |
| 7470                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                              | 13φ                   |      |   |      |                     |     |      |       |       |  |
| 7471                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                            | 14.5φ                 |      |   |      |                     |     |      |       |       |  |

| アルミ導線取付金物                                                                           | ねじ込み用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | アルミ合金製                  |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------|---|-------|---------------------|---------------------|------|-------|-------|-------|-------|----|------|-------|-----|----|------|-------|-------|----|------|-------|-----|-----|------|-------|-------|----|--|
|    |  <table><tr><th>品番</th><th>使用導線</th><th>D</th><th>内ねじ d</th></tr><tr><td>7472</td><td>60mm<sup>2</sup>迄</td><td>13φ</td><td>M6</td></tr><tr><td>7473</td><td>78 //</td><td>14.5φ</td><td>//</td></tr><tr><td>7474</td><td>60 //</td><td>13φ</td><td>M8</td></tr><tr><td>7475</td><td>78 //</td><td>14.5φ</td><td>//</td></tr><tr><td>7476</td><td>60 //</td><td>13φ</td><td>M10</td></tr><tr><td>7477</td><td>78 //</td><td>14.5φ</td><td>//</td></tr></table> | 品番                      | 使用導線  | D | 内ねじ d | 7472                | 60mm <sup>2</sup> 迄 | 13φ  | M6    | 7473  | 78 // | 14.5φ | // | 7474 | 60 // | 13φ | M8 | 7475 | 78 // | 14.5φ | // | 7476 | 60 // | 13φ | M10 | 7477 | 78 // | 14.5φ | // |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | D                       | 内ねじ d |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7472                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 13φ                     | M6    |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7473                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.5φ                   | //    |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7474                                                                                | 60 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 13φ                     | M8    |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7475                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.5φ                   | //    |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7476                                                                                | 60 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 13φ                     | M10   |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7477                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.5φ                   | //    |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| アルミ導線取付金物                                                                           | 瓦棒用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 金物 アルミ合金製<br>台 鉄溶融亜鉛めっき |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
|   |  <table><tr><th>品番</th><th>使用導線</th><th>D</th></tr><tr><td>7480</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr><tr><td>7481</td><td>78 //</td><td>14.5φ</td></tr></table>                                                                                                                                                                                                                                                                                     | 品番                      | 使用導線  | D | 7480  | 60mm <sup>2</sup> 迄 | 13φ                 | 7481 | 78 // | 14.5φ |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | D                       |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7480                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 13φ                     |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7481                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.5φ                   |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| アルミ導線取付金物                                                                           | 丸馳折版用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 金物 アルミ合金製<br>足 鉄溶融亜鉛めっき |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
|  |  <table><tr><th>品番</th><th>使用導線</th><th>D</th></tr><tr><td>7482</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr><tr><td>7483</td><td>78 //</td><td>14.5φ</td></tr></table>                                                                                                                                                                                                                                                                                    | 品番                      | 使用導線  | D | 7482  | 60mm <sup>2</sup> 迄 | 13φ                 | 7483 | 78 // | 14.5φ |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | D                       |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7482                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 13φ                     |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7483                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.5φ                   |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| アルミ導線取付金物                                                                           | 角馳折版用                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 金物 アルミ合金製<br>台 鉄溶融亜鉛めっき |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
|  |  <table><tr><th>品番</th><th>使用導線</th><th>D</th></tr><tr><td>7486</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr><tr><td>7487</td><td>78 //</td><td>14.5φ</td></tr></table>                                                                                                                                                                                                                                                                                    | 品番                      | 使用導線  | D | 7486  | 60mm <sup>2</sup> 迄 | 13φ                 | 7487 | 78 // | 14.5φ |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 品番                                                                                  | 使用導線                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | D                       |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7486                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 13φ                     |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |
| 7487                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.5φ                   |       |   |       |                     |                     |      |       |       |       |       |    |      |       |     |    |      |       |       |    |      |       |     |     |      |       |       |    |  |

| アルミ導線取付金物                                                                           | 立馳折版用                                                                                                                                                                                                                                                                                                                                             | 金物 アルミ合金製<br>台 鉄溶融亜鉛めっき |      |   |      |                     |     |      |       |       |  |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|---|------|---------------------|-----|------|-------|-------|--|
|    |  <table border="1" data-bbox="981 504 1268 571"> <thead> <tr> <th>品 番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7488</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7489</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table>     | 品 番                     | 使用導線 | D | 7488 | 60mm <sup>2</sup> 迄 | 13φ | 7489 | 78 // | 14.5φ |  |
| 品 番                                                                                 | 使用導線                                                                                                                                                                                                                                                                                                                                              | D                       |      |   |      |                     |     |      |       |       |  |
| 7488                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                               | 13φ                     |      |   |      |                     |     |      |       |       |  |
| 7489                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                             | 14.5φ                   |      |   |      |                     |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 立馳折版用                                                                                                                                                                                                                                                                                                                                             | 金物 アルミ合金製<br>台 ステンレス製   |      |   |      |                     |     |      |       |       |  |
|   |  <table border="1" data-bbox="981 1025 1268 1093"> <thead> <tr> <th>品 番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7490</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7491</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table>   | 品 番                     | 使用導線 | D | 7490 | 60mm <sup>2</sup> 迄 | 13φ | 7491 | 78 // | 14.5φ |  |
| 品 番                                                                                 | 使用導線                                                                                                                                                                                                                                                                                                                                              | D                       |      |   |      |                     |     |      |       |       |  |
| 7490                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                               | 13φ                     |      |   |      |                     |     |      |       |       |  |
| 7491                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                             | 14.5φ                   |      |   |      |                     |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 棟包用                                                                                                                                                                                                                                                                                                                                               | アルミ合金製・ステンレス製           |      |   |      |                     |     |      |       |       |  |
|  |  <table border="1" data-bbox="981 1556 1268 1624"> <thead> <tr> <th>品 番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7492</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7493</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table> | 品 番                     | 使用導線 | D | 7492 | 60mm <sup>2</sup> 迄 | 13φ | 7493 | 78 // | 14.5φ |  |
| 品 番                                                                                 | 使用導線                                                                                                                                                                                                                                                                                                                                              | D                       |      |   |      |                     |     |      |       |       |  |
| 7492                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                               | 13φ                     |      |   |      |                     |     |      |       |       |  |
| 7493                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                             | 14.5φ                   |      |   |      |                     |     |      |       |       |  |
| アルミ導線取付金物                                                                           | 溶接用                                                                                                                                                                                                                                                                                                                                               | アルミ合金製                  |      |   |      |                     |     |      |       |       |  |
|  |  <table border="1" data-bbox="981 2072 1268 2139"> <thead> <tr> <th>品 番</th><th>使用導線</th><th>D</th></tr> </thead> <tbody> <tr> <td>7494</td><td>60mm<sup>2</sup>迄</td><td>13φ</td></tr> <tr> <td>7495</td><td>78 //</td><td>14.5φ</td></tr> </tbody> </table> | 品 番                     | 使用導線 | D | 7494 | 60mm <sup>2</sup> 迄 | 13φ | 7495 | 78 // | 14.5φ |  |
| 品 番                                                                                 | 使用導線                                                                                                                                                                                                                                                                                                                                              | D                       |      |   |      |                     |     |      |       |       |  |
| 7494                                                                                | 60mm <sup>2</sup> 迄                                                                                                                                                                                                                                                                                                                               | 13φ                     |      |   |      |                     |     |      |       |       |  |
| 7495                                                                                | 78 //                                                                                                                                                                                                                                                                                                                                             | 14.5φ                   |      |   |      |                     |     |      |       |       |  |

| アルミ導線取付金物                                                                           |                     | パイプ用                                                                                                                                                                                                                                                                                                                                         | 金物 アルミ合金製<br>バンド 鉄溶融亜鉛めっき |    |      |   |        |      |                     |     |       |      |       |       |    |
|-------------------------------------------------------------------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----|------|---|--------|------|---------------------|-----|-------|------|-------|-------|----|
|    |                     |  <table border="1"><thead><tr><th>品番</th><th>使用導線</th><th>D</th><th>パイプ外径d</th></tr></thead><tbody><tr><td>7498</td><td>60mm<sup>2</sup>迄</td><td>13φ</td><td>48.6φ</td></tr><tr><td>7499</td><td>78 //</td><td>14.5φ</td><td>//</td></tr></tbody></table> |                           | 品番 | 使用導線 | D | パイプ外径d | 7498 | 60mm <sup>2</sup> 迄 | 13φ | 48.6φ | 7499 | 78 // | 14.5φ | // |
| 品番                                                                                  | 使用導線                | D                                                                                                                                                                                                                                                                                                                                            | パイプ外径d                    |    |      |   |        |      |                     |     |       |      |       |       |    |
| 7498                                                                                | 60mm <sup>2</sup> 迄 | 13φ                                                                                                                                                                                                                                                                                                                                          | 48.6φ                     |    |      |   |        |      |                     |     |       |      |       |       |    |
| 7499                                                                                | 78 //               | 14.5φ                                                                                                                                                                                                                                                                                                                                        | //                        |    |      |   |        |      |                     |     |       |      |       |       |    |
| 品番 7 4 3 1      接続端子    片側                                                          |                     | アルミ導線用                                                                                                                                                                                                                                                                                                                                       | アルミ合金製                    |    |      |   |        |      |                     |     |       |      |       |       |    |
|   |                     |                                                                                                                                                                                                                                                           |                           |    |      |   |        |      |                     |     |       |      |       |       |    |
| 品番 7 4 3 2      接続端子                                                                |                     | アルミ導線用                                                                                                                                                                                                                                                                                                                                       | アルミ合金製                    |    |      |   |        |      |                     |     |       |      |       |       |    |
|  |                     |                                                                                                                                                                                                                                                          |                           |    |      |   |        |      |                     |     |       |      |       |       |    |
| 品番 7 4 4 1      T型接続端子                                                              |                     | アルミ導線用                                                                                                                                                                                                                                                                                                                                       | アルミ合金製                    |    |      |   |        |      |                     |     |       |      |       |       |    |
|  |                     |                                                                                                                                                                                                                                                          |                           |    |      |   |        |      |                     |     |       |      |       |       |    |